

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S59	14	717/124.ccls. debug\$4 host\$3 ((run\$1time or (run adj time)) adj2 environment) ((attach\$3 or connect\$3) same (debug\$4 or before or prior)) (load\$3 or pre\$1load\$3) debugger	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/08 06:44
S58	23	717/124.ccls. debug\$4 host\$3 ((run\$1time or (run adj time)) adj2 environment) ((attach\$3 or connect\$3) same (debug\$4 or before or prior)) (load\$3 or pre\$1load\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/08 06:43
S57	64	717/124.ccls. debug\$4 host\$3 (run\$1time or (run adj time)) ((attach\$3 or connect\$3) same (debug\$4 or before or prior))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/08 06:41
S56	109	717/124.ccls. debug\$4 host\$3 (run\$1time or (run adj time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/08 06:40
S55	15	((assembl\$4 or dll or binaries or library or exe) near9 (load\$3 or (pre adj load\$3) or pre\$1load\$3)) host\$3 ((run\$1time or (run adj time)) adj2 environment) debugger ((before or prior) with (debug\$4 or attach\$4 or connect\$4)) debug\$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/08 06:33
S54	64	((assembl\$4 or dll or binaries or library or exe) near9 (load\$3 or (pre adj load\$3) or pre\$1load\$3)) host\$3 ((run\$1time or (run adj time)) adj2 environment) debugger ((before or prior) with (debug\$4 or attach\$4 or connect\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/08 06:33
S53	72	((assembl\$4 or dll or binaries or library or exe) near9 (load\$3 or (pre adj load\$3) or pre\$1load\$3)) host\$3 ((run\$1time or (run adj time)) adj2 environment) debugger ((before or prior) same (debug\$4 or attach\$4 or connect\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/08 06:32
S52	44	((assembl\$4 or dll or binaries or library or exe) near9 (load\$3 or (pre adj load\$3) or pre\$1load\$3)) host\$3 ((run\$1time or (run adj time)) adj2 environment) debugger ((before or prior) same debug\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/08 06:31
S51	121	((assembl\$4 or dll or binaries or library or exe) near9 (load\$3 or (pre adj load\$3) or pre\$1load\$3)) host\$3 ((run\$1time or (run adj time)) adj2 environment) debugger ((before or prior))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/08 06:31

EAST Search History

S50	18	((assembl\$4 or dll or binaries or library) near6 (load\$3 or (pre adj load\$3) or pre\$1load\$3)) host\$3 ((run\$1time or (run adj time)) adj environment) debugger ((before or prior) with debug\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/08 06:30
S49	269	((assembl\$4 or dll or binaries or library) near6 (load\$3 or (pre adj load\$3) or pre\$1load\$3)) host\$3 ((run\$1time or (run adj time)) adj environment) debug\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/08 06:30
S1	248	host\$3 ((run\$1time or (run adj time)) adj2 environment) debug\$4 (\$4load\$3 near6 (library or assembl\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/08 06:28
S48	19	(environment near2 (run\$1time or (run adj time))) host\$3 debug\$4 microsoft (attach\$4) (debug\$4 with (connect\$3 or attach\$4)) ((pre\$1load\$3 or (pre adj load\$3) or load\$3) near9 (prior or before))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/07 06:11
S47	33	(environment near2 (run\$1time or (run adj time))) host\$3 debug\$4 microsoft (attach\$4) (debug\$4 with (connect\$3 or attach\$4)) ((pre\$1load\$3 or (pre adj load\$3) or load\$3) near9 (dll or library or assembl\$6 or binar\$4 or exe))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/07 06:10
S46	49	(environment near (run\$1time or (run adj time))) host\$3 debug\$4 microsoft (attach\$4) (debug\$4 with (connect\$3 or attach\$4)) (pre\$1load\$3 or (pre adj load\$3) or load\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/07 06:01
S45	50	(environment near (run\$1time or (run adj time))) host\$3 debug\$4 microsoft (attach\$4) (debug\$4 with (connect\$3 or attach\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/07 06:00
S44	263	(environment near (run\$1time or (run adj time))) host\$3 debug\$4 microsoft (attach\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/07 06:00
S43	851	(environment near (run\$1time or (run adj time))) host\$3 debug\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/07 05:59

EAST Search History

S42	62	host\$3 (load\$3 or pre\$1load\$3) ((run\$1time or (run adj time)) adj2 environment) debug\$4 debugger ((attach\$6 or connect\$3) with debug\$4) ((start\$3 or begin\$4 or invoc\$6 or invok\$4) with debug\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/05 11:30
S41	47	host\$3 (load\$3 or pre\$1load\$3) ((run\$1time or (run adj time)) adj2 environment) debug\$4 debugger microsoft ((attach\$6 or connect\$3) with debug\$4) ((start\$3 or begin\$4 or invoc\$6 or invok\$4) with debug\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/05 11:30
S40	283	host\$3 (load\$3 or pre\$1load\$3) ((run\$1time or (run adj time)) adj2 environment) debug\$4 debugger (attach\$6 or connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/05 11:16
S39	286	host\$3 (load\$3 or pre\$1load\$3) ((run\$1time or (run adj time)) adj2 environment) debug\$4 debugger	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/05 11:15
S38	779	host\$3 (load\$3 or pre\$1load\$3) ((run\$1time or (run adj time)) adj2 environment) debug\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/05 11:15
S37	2703	host\$3 (load\$3 or pre\$1load\$3) ((run\$1time or (run adj time)) adj2 environment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/05 11:14
S36	46	((prior or before) (external\$3 or remot\$4)) same (debug\$4 or load\$3 or pre\$1load\$3 or run\$1time or environment or host\$3)) host\$3 ((run\$1time or (run adj time)) adj2 environment) debug\$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/04 11:08
S35	49	((prior or before) same (debug\$4 or load\$3 or pre\$1load\$3 or run\$1time or environment or host\$3)) host\$3 ((run\$1time or (run adj time)) adj2 environment) debug\$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/04 11:07
S34	47	((prior or before) same (debug\$4 or load\$3 or pre\$1load\$3 or run\$1time or environment)) host\$3 ((run\$1time or (run adj time)) adj2 environment) debug\$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/04 10:36

EAST Search History

S33	44	((prior or before) same (debug\$4 or load\$3 or pre\$1load\$3)) host\$3 ((run\$1time or (run adj time)) adj2 environment) debug\$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/04 10:35
S32	482	((prior or before) same (debug\$4 or load\$3 or pre\$1load\$3)) host\$3 ((run\$1time or (run adj time)) adj2 environment) debug\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/04 10:35
S31	1075	((prior or before) same (debug\$4 or load\$3 or pre\$1load\$3)) host\$3 ((run\$1time or (run adj time)) adj2 environment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/04 10:35
S30	25	((pre\$1load\$3 or load\$3) with (prior or before)) ((run\$1time or (run adj time)) adj2 environment) host\$3 debug\$4 microsoft.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 14:42
S29	150	((pre\$1load\$3 or load\$3) with (prior or before)) ((run\$1time or (run adj time)) adj2 environment) host\$3 debug\$4 microsoft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 14:42
S28	24	(pre\$1load\$3 or load\$3) ((run\$1time or (run adj time)) adj2 environment) host\$3 debugger debug\$4.clm. microsoft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 14:41
S27	42	(pre\$1load\$3 or load\$3) ((run\$1time or (run adj time)) adj2 environment) host\$3 debugger debug\$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 14:30
S26	779	(pre\$1load\$3 or load\$3) ((run\$1time or (run adj time)) adj2 environment) host\$3 debug\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 14:29
S25	12	((run\$1time or (run adj time)) near2 environment) host\$3 debug\$4 (\$4load\$3 near6 (assembl\$4 or dll or librar\$4 or domain or prior or before)) microsoft.as. @ay<"2003" ((start\$3 or begin\$4 or invok\$4) near6 debug\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 10:00

EAST Search History

S24	15	((run\$1time or (run adj time)) near2 environment) host\$3 debug\$4 (\$4load\$3 near6 (assembl\$4 or dll or librar\$4 or domain or prior or before)) microsoft.as. @ay<"2003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 10:00
S23	49	((run\$1time or (run adj time)) near2 environment) host\$3 debug\$4 (\$4load\$3 near6 (assembl\$4 or dll or librar\$4 or domain or prior or before)) microsoft.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 09:56
S22	280	((run\$1time or (run adj time)) near2 environment) host\$3 debug\$4 (\$4load\$3 near6 (assembl\$4 or dll or librar\$4 or domain or prior or before)) microsoft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 09:56
S21	302	((run\$1time or (run adj time)) near2 environment) host\$3 debug\$4 (\$4load\$3 with (assembl\$4 or dll or librar\$4 or domain or prior or before or debug\$4)) microsoft	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 09:55
S20	31	((run\$1time or (run adj time)) adj environment) host\$3 debug\$4.clm. (\$4load\$3 with (assembl\$4 or dll or librar\$4 or domain or prior or before or debug\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 09:54
S19	48	((run\$1time or (run adj time)) adj environment) host\$3 debug\$4.clm. (\$4load\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 09:32
S18	58	((run\$1time or (run adj time)) adj environment) host\$3 debug\$4.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/02 09:31
S17	43	debug\$4.clm. host\$3 ((run\$1time or (run adj time)) near2 environment) load\$3 ((remot\$4 or external\$3) with (debug\$4 or host\$3 or environment or load\$3 or target))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/29 15:11
S16	50	debug\$4.clm. host\$3 ((run\$1time or (run adj time)) near2 environment) load\$3 ((remot\$4 or external\$3) same (debug\$4 or host\$3 or environment or load\$3 or target))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/29 15:11

EAST Search History

S15	54	debug\$4.clm. host\$3 ((run\$1time or (run adj time)) near2 environment) load\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/29 15:01
S14	67	debug\$4.clm. host\$3 ((run\$1time or (run adj time)) near2 environment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/29 14:59
S13	50	debug\$3.clm. host\$3 ((run\$1time or (run adj time)) near2 environment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/29 14:58
S12	15	host\$3 ((run\$1time or (run adj time)) adj2 environment) (\$4load\$3 near6 (library or assembl\$4 or dll)) ((target or application or program or software) near4 debug\$4) (debug\$4.clm. or debug\$4.ti.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/28 15:51
S11	15	host\$3 ((run\$1time or (run adj time)) adj2 environment) debug\$4 (\$4load\$3 near6 (library or assembl\$4 or dll)) ((target or application or program or software) near4 debug\$4) (debug\$4.clm. or debug\$4.ti.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/28 15:51
S10	109	host\$3 ((run\$1time or (run adj time)) adj2 environment) debug\$4 (\$4load\$3 near6 (library or assembl\$4 or dll)) ((target or application or program or software) near4 debug\$4) debug\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/28 15:50
S3	29	host\$3 ((run\$1time or (run adj time)) adj2 environment) debug\$4 (\$4load\$3 near6 (library or assembl\$4)) ((load\$3 near4 (target or application or program or software)) same debug\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/28 15:49
S2	228	host\$3 ((run\$1time or (run adj time)) adj2 environment) debug\$4 (\$4load\$3 near6 (library or assembl\$4)) (load\$3 near4 (target or application or program or software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/10/28 15:07